## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER U-R-2-19

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

## CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company Inc. 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Agriculture Tractor, Mining/Construction

Trucks, Snow Groomer, Logging Equipment

Fuel Type: Diesel

Engine Family	Liters (Cubic Inches)	Exhaust Emission Control  Systems and Special Features
VCE505R6DTRC (B413)	8.3 (505)	Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exhaust	Emissions	(g/bhp-hr)		Smoke (	Opacity ( %	
THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	<b>5</b> 0

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

	<u>Exhaust</u>	<u>Emission</u>	(g/bhr	<u>-hr)</u>	Smoke	Opacity (	<b>%</b> )
Engine Family	THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
VCE505R6DTRC (B413)	0.3	0.5	5.4	0.2	7	2	16

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this // day

day of December 1996.

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O. #	U-R-2-19
Page	1 of 1

## 1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

2.0 Manufacturer Cummins Engine Company, Inc. Engine Family B413 VCE505R6DTRC Displacement: \_\_\_\_\_\_\_505 / 8.3 Liters/Cubic Inches Eng Config: I-6 All Codes in Eng Fam: CA 🗌 49S 🔲 50S 🔯 Cert Test Procedures: ARB 🛛 EPA 🖸 Valves/Ports per Cylinder\_\_\_\_ Strokes per Combustion Cycle Maximum Rated Power: 240 HP (\_\_\_\_ 179 KW) @ 2200 RPM Ignition: Compression ☒ Compression with Glow Plug Spark | Fuel Type(s): Dedicated 

▼ Flex-Fuel | Dual Fuel Diesel M100 | M85 | CNG [ LNG LPG 🔲 Other (specify)\_\_\_\_ Diesel Cert Fuel: 40 CFR 89.330-96 🖾 . Other (specify)\_\_\_ Primary Service Equipment: Ag Ttactors, Construction/Mining Trucks, Snow Groomers, and Logging Exhaust ECS (e.g., MFI, TC, CAC): TC, CAC (use abbreviations per SAE J1930 JUN93) Fuel Rate Engine Model PTOX / Rated HP @ Rated HP Fuel Pump ECM/PCM EGR (Eng Code) Catalytic @ RPM mm³ / stroke & Injector Part No. Valve Converter (lbs/hr) Part No. Part No. Part No. 2062 IN 3930525 C8.3-C 240 @ 2200 123(91.0) FP 3926885 N/A N/A N/A 240 @ 2200 123(91.0) FP 3929170 240 @ 2200 123(91.0) FP 3930453 240 @ 2200 123(91.0) FP 3931283 230 @ 2200 118(87.3) FP 3929171 230 @ 2200 118(87.3) FP 3927129 230 @ 2200 118(87.3) FP 3927117 230 @ 2200 118(87.3) FP 3929172 2007 IN 3928228 CB.3-C 215 @ 2200 109(80.6) FP 3926882 N/A N/A 215 @ 2200 N/A 109(80.6) FP 3930454 2055 IN 3928228 C8.3-C 230 @ 2000 125(84.4) FP 3929173 NZA N/A 215 @ 2000 114(77.2) N/A FP 3929174 2056 IN 3928228 C8.3-C 215 @ 1900 120(76.7) FP 3930113 N/A N/A 2057 N/A C8.3-C IN 3930525 11 13 N/AN/A230 @ 2200 118(87,3) FP 3929837 Date Issued: Revisions: